




UKT-10 TRIPOD TURNSTILE



UKT-10 TRIPOD TURNSTILE

The UKT-10 Tripod model is a slimline unit which features a horizontal round centrally mounted LED green/red indicator with corresponding colours at each end. It has options for either CCTV cameras or facial readers with one or two mounting points.

This model can be used externally under cover as it has an IP rating of IPX4. It has an active passage width of 550mm making this product suitable for a wide range of environments where single or multiple lane access is required.

The unit has an emergency release mechanism that allows the rotas to drop away for unrestricted access; this can also be linked to a fire alarm system.

KEY PRODUCT FEATURES:


- Slimline design
- Stainless steel housing
- Rotas made from polished stainless steel
- LED red/green indication panels
- Concealed floor mounted design
- Sound and light prompts and adjustable volume
- Fail safe on power failure (see website for details)
- Suitable for external use (resistant to water splashes from any direction)
- 9 passing modes, including passing with identity verification, no passing, & free passing

TECHNICAL SPECIFICATIONS:

DESCRIPTION	VALUE	UNIT OF MEASUREMENT
Dimensions (Folded Arm)	980mm x 200mm x 1200mm	H x W x D
Dimensions (Straight Arm)	980mm x 750mm x 1200mm	H x W x D
Weight	60	KG
Temperature Range	25 - +70	°C
Relative Humidity	80	%
Passage Width	565 -595	Mm
Throughput	20 - 40	Persons / min
Electrical Input	24	V
Maximum Current During Operation	6.5	Amps

ADDITIONAL OPTIONS:

- This unit has additional access control mounting points if required.



DRAWINGS:

